

# **How to Schedule Report Execution and Mailing**

**All Countries**



# Typographic Conventions

Type Style	Description
<i>Example</i>	Words or characters quoted from the screen. These include field names, screen titles, pushbuttons labels, menu names, menu paths, and menu options. Textual cross-references to other documents.
<b>Example</b>	Emphasized words or expressions.
EXAMPLE	Technical names of system objects. These include report names, program names, transaction codes, table names, and key concepts of a programming language when they are surrounded by body text, for example, SELECT and INCLUDE.
Example	Output on the screen. This includes file and directory names and their paths, messages, names of variables and parameters, source text, and names of installation, upgrade and database tools.
<b>Example</b>	Exact user entry. These are words or characters that you enter in the system exactly as they appear in the documentation.
<b>&lt;Example&gt;</b>	Variable user entry. Angle brackets indicate that you replace these words and characters with appropriate entries to make entries in the system.
EXAMPLE	Keys on the keyboard, for example, <b>F2</b> or <b>ENTER</b> .

---

## Document History

Version	Date	Change
1.0	2012-05-17	First version
1.1	2016-12-16	Template Update

---

# Contents

<b>1</b>	<b>Introduction.....</b>	<b>5</b>
<b>2</b>	<b>Scheduling Report Execution.....</b>	<b>6</b>
2.1	Report Execution Scheduler Window .....	8
2.1.1	General Area .....	8
2.1.2	Recipients Table.....	9
<b>3</b>	<b>Viewing Scheduled Reports in SAP Business One.....</b>	<b>11</b>
<b>4</b>	<b>Configuring SBO Mailer for Report Scheduling and Mailing.....</b>	<b>13</b>
4.1	Establishing User Credentials for SAP Business One Messaging Service on Microsoft Windows .....	14
<b>5</b>	<b>Authorizations.....</b>	<b>15</b>

---

# 1 Introduction

This how-to guide introduces the report scheduling function of SAP Business One. You schedule report executions by running queries and specify recipients of the generated reports. The recipient either obtains the reports via email or views them directly in SAP Business One as a user.

Formats of generated reports include PDF, HTML, and XML. Via email, these reports are sent as attachments; reports in HTML format can also be sent as the email message body.

The following situations are the main triggers for setting up report execution schedules:

- You cannot or do not want to wait a long time for a report to be executed.
- You need to obtain data of certain reports on a regular basis.
- You have no immediate access to SAP Business One, either frequently or for a long time.
- You want to compare the different results of one report executed at regular intervals.

## Applicable Releases:

- SAP Business One 8.81 PL10 and later
- SAP Business One 8.82 PL01 and later
- SAP Business One 9.0
- SAP Business One 9.1
- SAP Business One 9.2

## Prerequisites

- You have full authorization for the report scheduling functionality. For more information about authorizations, see the SAP Business One online help.
- You have configured SBO Mailer. For more information, see Configuring SBO Mailer for Report Scheduling and Mailing and the SAP Business One Administrator's Guide.



## 2 Scheduling Report Execution

### **i** Note


You can schedule executions of reports only by running queries without parameters.

### Prerequisites

- You have assigned at least one layout to the query you want to run. For more information, see the SAP Business One online help.
- You have configured [SBO Mailer](#).

### Procedure

1. From the SAP Business One menu bar, choose [Tools](#) → [Queries](#) → [Query Manager](#).
2. In the [Query Manager](#) window, select a query and choose the Schedule button.



3. In the *Report Execution Scheduler* window, in the general area, specify the required details.

4. In the *Recipients* area, specify information about recipients of the generated reports.

To add recipients, choose the *Add Recipients* button.

In the Add Recipients window, select required SAP Business One users and distribution lists and choose the *OK* button.

To save specified recipients as members of a new distribution list, choose the *Save as Distribution List* button.

5. To enable viewing the report execution results in SAP Business One, select the *Access to Overview* checkbox.

### **i** Note

This function is available only for SAP Business One users.

6. To enable sending emails with generated reports to a recipient, select the *Email* checkbox and specify an email address.
7. Specify in which formats you want the generated reports to be sent via email as attachments.
8. Choose the *Add* button.

The scheduled report will be executed and sent to the specified recipients via email at specified times.


### **i** Note

To modify a specific report execution schedule, you can access the Report Execution Scheduler window to find it or access it directly from the Scheduled Report Overview window. For more information, see Viewing Scheduled Reports in SAP Business One.

## 2.1 Report Execution Scheduler Window

To open the *Report Execution Scheduler* window, from the SAP Business One menu bar, choose *Tools* → *Queries* → *Query Manager*.

### 2.1.1 General Area

UI Element	Description	
<i>Active</i> checkbox	Select this checkbox to specify whether the report is to be executed as scheduled.	
Query type and name	8.81	Displays the query name: Query - <Query Name> Not editable
	8.82 and later	Displays the query category: System Query or User Query Not editable
<i>Report</i> Title	Name of the scheduled report. Displays by default the name of the query to run to generate the report	
<i>Print</i> Layout dropdown list	List of print layouts for generated reports in PDF format	
<i>User Code</i>	Displays the code of the user who makes this particular report execution schedule Not editable	
<i>User Password</i>	Password of the current user who is making the schedule	
<i>Report Execution Timeout</i> dropdown list	Time limit for an unsuccessful report execution	
<i>Action on Error</i> dropdown list	<p>Action to be taken if there is any error during report execution. Available options are:</p> <ul style="list-style-type: none"><li>• <i>Deactivate Immediately</i></li><li>• <i>Continue</i></li><li>• <i>Deactivate On Second Failure</i></li><li>• <i>Deactivate On Third Failure</i></li><li>• <i>Deactivate On Fourth Failure</i></li></ul> <p> <b>Note</b></p> <p>The second option (Continue) deactivates the schedule.</p>	
<i>Start Time</i>	Date and time for the report execution or the first recurring report execution	



UI Element	Description
<i>Recurrence</i> dropdown list	The basis on which the report execution should recur. Available options are: <ul style="list-style-type: none"> <li>• <i>None</i></li> <li>• <i>Daily</i></li> <li>• <i>Weekly</i></li> <li>• <i>Monthly</i></li> <li>• <i>Annually</i></li> </ul>
<i>Repeat Every</i>	The frequency at which the report execution should recur. Available for daily, weekly, monthly, and annual recurrences
<i>Repeat on</i>	Days on which the report execution recurs. Available for weekly, monthly, and annual recurrences
<i>Range Start</i>	Date of the <i>Start Time</i> field. Available only for recurring executions and not editable
<i>Range End</i>	Ending date or condition of the report execution. Available only for recurring executions
<i>Next Execution</i>	Due time of the next report execution. Available only for recurring executions
<i>Number of Executions</i>	Number of completed executions of the scheduled report, including both successful and failed executions. Not editable.
<i>Reset Counter button</i>	Resets the value of the <i>Number of Executions</i> field to 0. Available only if the value of the <i>Number of Executions</i> field is greater than zero.
<i>Remarks</i>	Notes to the scheduled report; shown in the <i>Scheduled Report Overview</i> window. Optional
<i>Email Subject</i>	Email subject to be displayed after the prefix defined in the <i>SBO Mailer</i> settings. For more information, see Configuring SBO Mailer for Report Scheduling.
<i>HTML Output as Message Body</i> radio button	Select this radio button to use the HTML format of the generated report as the email message body.
<i>Message Body</i> radio button	Select this radio button to enter words as the email message body. You can use any HTML tags for formatting the text, except for <b>&lt;HTML&gt;</b> and <b>&lt;BODY&gt;</b> .

## 2.1.2 Recipients Table

This table lists all recipients of the generated reports and other relevant information.

UI Element	Description
<i>Recipient</i>	Name of the recipient
<i>Access to Overview</i> checkbox	Select this checkbox to grant access to viewing the execution outputs of the scheduled report in SAP Business One. Available only for SAP Business One users
<i>Send Email</i> checkbox	Select this checkbox to enable sending emails with generated reports to the recipient
<i>Email Address</i>	Email address of the recipient
<i>PDF, HTML, XML</i> checkboxes	Formats of the generated reports to be sent via email as attachments

## 3 Viewing Scheduled Reports in SAP Business One

In the Scheduled Report Overview window, you can view the details of scheduled report executions and the generated reports. The scheduled reports include reports that have not yet been executed or whose schedules have been deactivated.

### Prerequisite

In the Report Execution Scheduler window, you have been granted access to the Scheduled Report Overview window.

### Procedure

1. From the SAP Business One menu bar, choose **Tools** → **Scheduled Report Overview**.
2. In the **Scheduled Report Overview** window, to view the details of executions of a scheduled report, click the arrow next to the report title.

To view the details of executions of all scheduled reports, choose the **Expand** button.

Report Title	Remarks	Status	PDF	HTML	XML	Log
▶ Scheduled User Query		Schedule Inactive				
▶ WeekTopLists	Top 3 customers and top	Schedule Inactive				
▶ WeekTopLists2		Schedule Inactive				
▶ TopList		Report Scheduled				
▶ House Bank Accounts Query		Schedule Inactive				
▶ Customers Credit Limit Devi		Schedule Inactive				
▼ WeekTopLists2		Report Scheduled				
18.08.11 11:31		Successful	PDF	HTML	XML	LOG
18.08.11 11:34		Successful	PDF	HTML	XML	LOG
18.08.11 11:36		Successful	PDF	HTML	XML	LOG
18.08.11 11:37		Successful	PDF	HTML	XML	LOG
18.08.11 11:38		Successful	PDF	HTML	XML	LOG
21.08.12 11:46		Successful	PDF	HTML	XML	LOG
21.08.12 11:47		Successful	PDF	HTML	XML	LOG
21.08.12 11:48		Successful	PDF	HTML	XML	LOG
21.08.12 11:49		Successful	PDF	HTML	XML	LOG
21.08.12 11:50		Successful	PDF	HTML	XML	LOG
21.08.12 11:51		Successful	PDF	HTML	XML	LOG
21.08.12 11:52		Successful	PDF	HTML	XML	LOG
21.08.12 11:53		Successful	PDF	HTML	XML	LOG
21.08.12 11:54		Successful	PDF	HTML	XML	LOG

3. To view a generated report of one execution, double-click the row.  
To view a particular format of a generated report, click the corresponding icon.

---

To view the execution schedule of a report, double-click the scheduled report row (first level). If you are the creator of the report schedule, in the Report Execution Scheduler window that opens, you can modify and update the scheduling settings.


If you are the creator of a report schedule, to remove the report execution details and results, do one of the following:


- To remove all execution details and generated reports, right-click the scheduled report row (first level) and choose [Remove](#).
- To remove details and generated reports of one execution, right-click the corresponding row (second level) and choose [Remove](#).

## 4 Configuring SBO Mailer for Report Scheduling and Mailing


To schedule report execution and send generated reports via email, you must first define the mail settings and scheduled report settings. For more information, see the SAP Business One Administrator's Guide.

### Procedure

1. In the Windows system tray, double-click  (*SAP Business One Service Manager*).  
Alternatively, choose *Start* → *Programs* → *SAP Business One* → *Server Tools* → *Service Manager*.
2. In the *SAP Business One Service Manager* window, in the *Service* dropdown list, select *SBO Mailer* and choose the *Settings* button.
3. In the General *Settings* window, define the mail settings according to your company settings.



4. In the *Scheduled Report Settings* area, specify the file path of the SAP Business One client.
5. Optionally, enter an email subject prefix which precedes the subject of each scheduled email with the generated report.
6. Enter a name as the email sender.
7. Enter the sender email address.
8. Specify the timeout period for unsuccessful report execution.

9. Specify the logging level.
10. Choose the **OK** button.
11. Connect to a database for which you want to enable the mailing services. For more information, see [SAP Business One Administrator's Guide](#), available from within SAP Business One.
12. In the SAP Business One Service Manager window, in the Service dropdown list, select **SBO Mailer**, choose  (**Play**), and select the checkbox **Start** when operating system starts.


## 4.1 Establishing User Credentials for SAP Business One Messaging Service on Microsoft Windows


When the SBO Mailer service is first started, the default Microsoft credentials for the SAP Business One messaging service are local system credentials. To fully deliver this service, you need to change the credentials to user credentials.

The authenticated user should meet the following two requirements:

- Has a user account in SAP Business One with full authorization for the report scheduling function
- Has a physical printer (not virtual) available

### Procedure

1. In the taskbar of Microsoft Windows, choose the **Start** button or  (**Start**).
2. In the start menu, choose Run, enter **services.msc**, and choose **OK**.
3. In the **Services** window, configure SAP Business One Messaging Service as required.



For more information about configuring services, refer to the Microsoft online help.



---

## 5 Authorizations

For information about the authorizations required for report scheduling, see the online help as well as the document *How to Define Authorizations*, which you can download from the documentation area of SAP Business One Customer Portal at <http://service.sap.com/smb/sbocustomer/documentation>.



[www.sap.com/contactsap](http://www.sap.com/contactsap)

© 2016 SAP SE or an SAP affiliate company. All rights reserved.  
No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP SE or an SAP affiliate company.  
SAP and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP SE (or an SAP affiliate company) in Germany and other countries. All other product and service names mentioned are the trademarks of their respective companies. Please see <http://www.sap.com/corporate-en/legal/copyright/index.epx#trademark> for additional trademark information and notices.

**Material Number:**

